DIOSMIN **HESPERIDIN**

VenoCare

450 mg / 50 mg Film-Coated Tablet

VASOPROTECTIVE

WHAT IS IN THE MEDICINE? Each film-coated tablet contains:

Diosmin Hesperidin .

DESCRIPTION:Peach coloured oval shaped film-coated tablet having break line on one side.

WHATISTHIS MEDICINE USED FOR?
- Pharmacotherapeutic group:
Medicinal product acting on the capillaries
C: Cardiovascular system
- Therapeutic indications:
This medicine is a venotonic (it increases venous tone) and a vasculoprotector (it increases resistance in small blood vessels).
It is recommended for treating venous circulation disorders (swellen legs, pain, early morning

The street was a street with the street was a street was

HOW MUCH & HOW OFTEN SHOULD YOU USE THIS MEDICINE?

Always take this medicine exactly as your doctor or health care provider has told you.

Dosage
Venous insufficiency: 2 tablets daily, 1 tablet at mid-day and 1 tablet in the evening, at

mealtimes. Haemorrhoidal attack: the dose is 6 tablets per day for 4 days and then 4 tablets per day for the

next 3 days, at mealtimes.

WHEN SHOULD YOU NOT TAKE THIS MEDICINE?

Do not take Diosmin + Hesperidin tablet
- If you are altergic (hypersensitive) to micronized purified flavonoid fraction or any of the other ingredients.

CARE THAT SHOULD BE TAKEN WHEN TAKING THIS MEDICINE:

Take special care with Diosmin + Hesperidin tablet Haemorholdal attack: If the haemorhold disorder persists for more than 15 days, it is essential that you consult your doctor or health care provider. Venous direction disorders:

Venous circulation disorders:

This treatment is at its most effective when combined with a healthy lifestyle.

Avoid exposure to the sun, heat, standing for too long, excess weight. Walking, and wearing appropriate stockings when applicable, promote blood circulation.

c. Taking or using other medicines, herbal or dietary supplements

Tell your doctor, health care provider or pharmacist if you are taking or have recently taken any other medicines, including medicines obtained without a prescription.

d. Taking Diosomin + Hesperidin tablet with food and drink

Not applicable.

e. Pregnancy and breastfeeding

Pregnancy
If you discover that you are pregnant during your treatment, or if you are pregnant and plan to take this medicine, ask your doctor or health care provider for advice.

take this medicine, ask your doctor or health care provider for advice. Breast-feeding is inadvisable for the duration of the treatment, due to the absence of data on the passage of the medicine into breast milk. Ask your doctor, health care provider or pharmacist for advice before taking any medicine.

1. Driving and using machines
Not applicable.

9. Important information about some of the ingredients of Diosmin + Hesperidin tablet
Not applicable.

UNDESIRABLE EFFECTS OF THIS MEDICINE:
Like all medicines, Diosmin + Hesperidin tablet can cause side effects, although not everybody gets them. Some cases of commonplace gastrointestinal disorders and neurovegetative disorders (feeling of discomfort) have been described, which do not require stopping the

For suspected adverse drug reaction, report to the FDA: www.fda.gov.ph

WHAT OTHER MEDICINE OR FOOD SHOULD BE AVOIDED WHILE TAKING THIS

MEDICINE: In order to avoid possible interactions between various drugs, you must always tell your doctor or your pharmacist about any other treatment you are receiving.

WHAT SHOULD YOU DO IF YOU MISS A DOSE? In case you miss a dose, do not double the dose. Take the usual dose.

SIGNS AND SYMPTOMS OF OVERDOSE
An overdose of this medicine can make side effects worse. If you take more than you should, contact your doctor, health care provider or pharmacist.

WHAT TO DO WHEN YOU HAVE TAKEN MORE THAN THE RECOMMENDED DOSAGE? An overdose of this medicine can make side effects worse. If you take more than you should, contact your doctor.

HOW SHOULD YOU KEEP THIS MEDICINE? Store at temperature not exceeding 30°C. Keep product away from children.

Manufactured by: SAGALIFESCIENCES LIMITED

Survey No. 198/2 & 198/3, Chachrawadi Vasna, Ta Sanand District, Ahmedabad, Gujarat, 382 210, India

Imported by: MEDINOVA PHARMACEUTICAL INC. 3270-C Armstrong Rd., Merville, Brgy. 201, Pasay City, Metro Manila, Philippines

Distributed by: MULTICARE PHARMACEUTICALS PHILS. INC. Units A & B 17/F 8 Rockwell Bidg., Hidalgo Drive Rockwell Center, Poblacion, Makati City, Metro Manila

DRP-8635-02

Date of first authorization: June 2021 Date of revision: April 2022

Mfg. Lic. No.: G/25/1877 Artwork No.: 52142101-00

